

AU PRODUCT INFORMATION SHEET

Information Provided for Veterinary Professionals Only

ILIUM BENACILLIN LONG ACTING PENICILLIN INJECTION



WHAT IS ILIUM BENACILLIN LONG ACTING PENICILLIN INJECTION?

Ilium Benacillin Long Acting Penicillin Injection is for parenteral treatment of infections caused by bacteria sensitive to penicillin in dogs, cats, pigs, calves, foals, horses and cattle.

Active Ingredients: 150 mg/mL procaine penicillin
150 mg/mL benzathine penicillin
20 mg/mL procaine hydrochloride

Poison Schedule: S4

Physical Description: A white suspension which disperses easily on shaking.

WHY CHOOSE ILIUM BENACILLIN LONG ACTING PENICILLIN INJECTION?

- ✓ **Cost-effective** aid in the treatment of infections caused by bacteria sensitive to penicillin.
- ✓ **Available in convenient pack sizes** of 100 mL and 250 mL.
- ✓ **Australian made** which supports local jobs.

AU PRODUCT INFORMATION SHEET

Information Provided for Veterinary Professionals Only

ILIUM BENACILLIN LONG ACTING PENICILLIN INJECTION



HOW TO USE ILIUM BENACILLIN LONG ACTING PENICILLIN INJECTION?

SHAKE WELL BEFORE USE

Dose Rate:

	Dose Rate	Administration Route
 DOGS AND CATS	0.5 - 4 mL	By I.M. administration only. Therapeutic levels maintained for up to 5 days.
 PIGS	3 - 7 mL	
 CALVES AND FOALS	3 - 7 mL	
 HORSES AND CATTLE	10 - 20 mL	

Withholding Periods:

- MEAT: Cattle, Pigs And Horses: 30 days
- MILK: 13 days. Do not feed treated milk to bobby calves.

Storage: Store below 25 °C (air conditioning). Protect from light. Use contents within 24 hours of first broaching the bottle. Discard any unused portion.

Trade Advice - Export Slaughter Interval (ESI): An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Troy Laboratories on 02 8808 3600 before using this product.

Please refer to carton and/or enclosed leaflet for full product information.