



WHAT IS ZOTEL LICE?

Zotel Lice is a pour-on lousicide registered for the control of spinosad-susceptible lice (*Bovicola ovis*), including strains resistant to synthetic pyrethroids (SPs) in sheep up to 7 days off-shears, unshorn suckling lambs and sheep with long wool.

Physical Description: A clear blue liquid with low viscosity.

Active Ingredient: 20 g/L SPINOSAD

WHY CHOOSE ZOTEL LICE?

- ✓ **Rotation option** when spinosad has not been used in the last wool growing period.
- ✓ **Value pack size of 22 L** making it cost-effective per dose.
- ✓ **Water-based formulation** making it easy on application equipment and to clean up.
- ✓ **Low odour formulation** making it user friendly.
- ✓ **Australian made** which supports local jobs.

HOW TO USE ZOTEL LICE?


Application:

SHAKE CONTAINER GENTLY SEVERAL TIMES BEFORE USE

Apply Zotel Lice using a 4-hole T-Bar nozzle on a hand applicator or powerdoser.



Apply product evenly along the backline from poll to base of tail. Halve the dose volume and apply in 2 bands, approximately 5 cm from either side of the spine. Applying the product to the flanks will improve the spread of Zotel Lice.



AU PRODUCT INFORMATION SHEET



HOW TO USE ZOTEL LICE?

Sheep Category	Body Weight (kg)	Dose (mL)	No. of Sheep Treated Per 22 L
<i>Off-shears (within 7 days after shearing)</i>	20 - 30	15	1466
	31 - 40	20	1100
	41 - 50	25	880
	51 - 60	30	733
	61 - 70	35	628
	Add 2.5 mL for each 5 kg above 70 kg		
<i>Suckling lambs (unshorn)</i>	Up to 9	5	4400
	10 - 19	7.5	2933
	20 - 29	15	1466
	Add 3.5 mL for each 5 kg above 29 kg		
<i>Long wool (6 - 12 months after shearing)</i>	Adult (>6 months old)	50	440

Safety Directions: May irritate the skin. Will damage eyes. Avoid contact with eyes and skin. If product gets in eyes, wash it out immediately with water. Wash hands after use. When using the product wear elbow-length PVC gloves and goggles. After each day's use wash gloves.

Withholding Periods:

Meat: Off-shears: 14 days, suckling lambs: 14 days; long wool: Zero (0) days.

Milk: Do not use on ewes which are producing or may in the future produce milk that may be used or processed for human consumption.

Wool: Zero (0) days.

Trade Advice - Export Slaughter Interval (ESI): 21 days for off-shears and suckling lambs. Zero (0) days for long wool. Use of this product may result in wool residues that may not comply with European Union environmental quality standards. Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available to wool buyers.

Sheep Rehandling Interval: After treatment wait until sheep are dry before rehandling.

Storage: Store below 30 °C (room temperature) in a dry place in tightly closed original container. Do not freeze. Do not store in direct sunlight.

Please refer to drum for full product information.

